

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5034980".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 11:42
S2	2	"5933497".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:07
S3	2	"5774544".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:15
S4	2	"5623637".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:21
S5	2	"5530753".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:28
S6	2	"5878210".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:35
S7	2	"5343524".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:36
S8	2	"5896522".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:37
S9	2	"6457171".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:38

S10	2	"6031992".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:40
S11	2	"6023506".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 12:41
S12	2	"20030142554".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:03
S13	2	"6704872".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:04
S14	2	"5923884".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:05
S15	3579	(712/24.ccls. or 713/164,189,192-194.ccls. or 726/26-27.ccls.) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:10
S16	81247	(key or pin or passcode or passphrase or password) with (microprocessor or processor or cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:06
S17	3047	S16 and ((cryptograph\$2 or \$2crypt\$3 or \$2cipher \$3) with (module or engine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:08
S18	0	S17 and ((wafer and die) with (test\$3) with (hmac or hash\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:15
S19	50	S17 and (fus\$4 with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:09

S20	14	S19 and ((secur3 or restrict \$3) with (hardware or processor or memory or circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:27
S21	26	S19 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:14
S22	7	S20 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:11
S23	2	"20030046564".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:14
S24	0	S15 and ((wafer and die) with (test\$3) with (hmac or hash\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:15
S25	0	((wafer and die) with (test \$3) with (hmac or hash \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:16
S26	0	((wafer and die) with (hmac or hash\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:17
S27	34338	wafer with test\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:17
S28	5543	S27 and (die with test\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:17
S29	4027	S28 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:23

S30	9	S29 and (hmac or hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:22
S31	425	(hmac or hash\$3) with (test\$3 or diagnostic) with (data or result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:23
S32	264	S31 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:23
S33	117	S32 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:23
S34	6	S33 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:27
S35	927	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:27
S36	131	S35 and ((secur3 or restrict \$3) with (hardware or processor or memory or circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:27
S37	62	S36 and ((processor or cpu or microprocessor) with (internal or integrated or onboard) with (memory or flash or register or rom or ram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:28
S38	6858	secure with processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 16:01
S39	4959	S38 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 16:01

S40	1400	S39 and ((processor or cpu) with (\$2crypt\$3 or \$2cipher\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 16:02
S41	3579	(712/24.ccls. or 713/164,189,192-194.ccls. or 726/26-27.ccls.) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:44
S42	219	S40 and S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 16:02
S43	166	S42 and ((processor or cpu) with (key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 16:03
S44	8	S43 and (inaccessible with (processor or cpu))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 16:03
S45	34	(software or application) with (access\$3) with (secur \$2 adj (processor or hardware))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 11:42
S46	19	S45 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 11:42
S47	8	("6031992" or "20040025036" or "6704872" or "20040098591").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 14:05
S48	424	(cryptograph\$2 or encrypt \$3 or encipher\$3) with (engine) with (stor\$3) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:23
S49	227	S48 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:24

S50	6	S49 and (integrat\$2 with memory with engine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:24
S51	3862	(712/24.ccls. or 713/164,189,192-194.ccls. or 726/26-27.ccls.) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:45
S52	68	S51 and (determin\$3 or detect\$3) with (intrusion or prohibit\$2 or illegal or attack) with (type or kind)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:55
S53	24	S52 and (state or mode) with (type or kind)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:54
S54	0	S52 and (state or mode) with transition\$3 with (type or kind)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:47
S55	4	S53 and (state or mode) with transition\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:47
S56	24650	(analyz\$3 or determin\$3 or detect\$3) with (state or mode) with transition\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:55
S57	165	S56 and (determin\$3 or detect\$3 or predict\$3) with (intrusion or prohibit \$2 or illegal or attack) with (type or kind)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:55
S58	4107	(712/24.ccls. or 713/164,189,192-194.ccls. or 726/26-27.ccls.) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 14:55
S59	2354	(fus\$3 with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 14:54

S60	244	S59 and (state with (memory or rom or ram or flash or register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 14:54
S61	136	S60 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 14:55
S62	14	S58 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 15:29
S63	1073	(cryptograph\$2 or \$2crypt \$3 or \$2cipher\$3) with state with (memory or rom or ram or flash or register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 15:30
S64	131	S58 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 15:30
S65	568	(cryptograph\$2 with processor) and (state with (memory or rom or cache))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 18:31
S66	297	S65 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 20:20
S67	27220	(processor with integrat\$2 with (rom or memory or ram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 18:32
S68	38	S66 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 18:32
S69	1	S66 and ((\$2crypt\$3 or \$2cipher\$3 or cryptograph \$2) with state with track \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 19:17

S70	32	S66 and (intermediate with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 20:20
S71	118	(software with (cryptograph\$2) with engine) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 12:23
S72	4122	(712/24.ccls. or 713/164,189,192-194.ccls. or 726/26-27.ccls.) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:52
S73	18	S71 and S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 13:19
S74	3452	(memory or cache or ram) with (track\$3) with state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 13:20
S75	1	S72 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 13:20
S76	19	S72 and ((memory or cache or ram) with (monitor\$3) with state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 13:21
S77	1383	(726/26,27,29.ccls.) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 10:16
S78	39	S77 and (processor or cpu) with ((secret or private) adj1 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 15:13
S79	8902	des with (processor or cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 15:13

S80	5674	S79 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 15:13
S81	246	S80 and (processor or cpu or engine) with (stor\$3) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 15:38
S82	5492	((hardware or system or processor or cpu) with (specific) with key) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 15:56
S83	52	S77 and S82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 16:11
S84	2	"5533123".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 16:11
S85	49	(cryptograph\$2 with (processor or cpu)) with (secret adj1 key) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 10:16
S86	103938	protect\$3 with (software or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 12:28
S87	21685	S86 and (\$2crypt\$3 or \$2cipher\$3) with (software or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 12:28
S88	1383	(726/26,27,29.ccls.) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 12:28
S89	403	S87 and S88	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 12:28

S90	8155	(stor\$3 with (encrypt\$3 or encipher\$3) with (content or software))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:50
S91	5186	S90 and (decrypt\$3 or decipher\$3) with (content or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:51
S92	671	S91 and ((crypto or cryptographic) with (engine or processor or cpu or module or unit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:51
S93	4122	(712/24.ccls. or 713/164,189,192-194.ccls. or 726/26-27.ccls.) and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 15:11
S94	94	S93 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 15:10
S95	69	S94 and des	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:52
S96	242	(processor or cpu) with (serial adj1 number) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 15:11
S97	28	S96 and (des or 3des) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 15:11
S98	18	S97 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 15:12
S99	146	S96 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 15:12

S100	47282	(secur\$3 or protect\$3) with (processor or cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 12:56
S101	17269	S100 and (secur\$3 or protect\$3) with (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 12:56
S102	708	S101 and (processor\$3 with restrict\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 12:57
S103	137	S102 and (cryptograph\$2) with (processor or cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 12:57
S104	423	S102 and @ad<"20030926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 13:24
S105	333	S104 and (only with (processor or cpu))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 13:24
S106	54	S104 and (only with accessible with (processor or cpu))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 13:25

10/31/2008 2:21:38 PM

C:\Documents and Settings\ppich\My Documents\EAST\Workspaces\10672796.wsp